

CLAY41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED


THICKNESS 10 MM




4100296 Clay41 White 80x80 / 32"x32"



4100312 Clay41 White 8x40 / 3"x16"




4100292 Clay41 White 40x80 / 16"x32"



4100300 Navajo White 80x80 / 32"x32"



4100308
Mosaic
Bricky White
30x30 / 12"x12"



4100325
Mosaic Clay41 + Navajo
White
30x30 / 12"x12"



4100316
Plus White
19x19 / 7¹/₂" x 7¹/₂"



4100329
Esagona
Navajo White
22,5x19,5 / 9"x8"

WOOD41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH SPAZZOLATO OPACO RETTIFICATO - BRUSHED NATURAL RECTIFIED

THICKNESS 10 MM



4100304 Wood41 White 20x120 / 8"x48"

WIGWAG

TECHNOLOGY MONOPOROSA IN PASTA BIANCA - WHITE BODY SINGLE-FIRED WALL TILE

FINISH LUCIDO / GLOSSY - 8 PATTERNS RANDOMLY MIXED

THICKNESS 10 MM



* 4100321 WigWag White 7,5x15 / 3"x6"

* I SOGGETTI DECORATIVI NON SONO VENDUTI INDIVIDUALMENTE MA SOLO IN UN MIX CASUALE
PATTERNS NOT SOLD SEPARATELY BUT ONLY AS A RANDOM MIX

Products	pcs	m ²	kg/box	Box/pal	m ² /pal	kg/pal
80x80/32"x32"	2	1,28	28,50	40	51,20	1140,00
40x80/16"x32"	3	0,96	21,50	56	53,76	1204
8x40/3"x16"	32	1,024	22,40	48	49,152	1075,2
Plus	22	0,45	13,20	56	25,2	739,2
Mosaic C + N	10		22,70			
Wood41	5	1,20	26,50	42	50,40	1113,00
WigWag	36	0,405	6,20	144	58,32	892,80
Esagona	19	0,62	12,68	56	34,72	710,08
Bricky	6		12,30			
Batt. 7,5x80	7		10,03			
Batt. 7,5x120	6		10,80			

I TONI DEI DIVERSI ARTICOLI SONO SIMILI MA NON IDENTICI. DATI I DIFFERENTI MATERIALI, FINITURE E TIPOLOGIE PRODUTTIVE.
THE TONES OF THE DIFFERENT ITEMS ARE SIMILAR BUT NOT IDENTICAL. GIVEN BY THE DIFFERENT MATERIALS, FINISHES AND TYPES OF
PRODUCTION.

CLAY41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED

THICKNESS 10 MM



4100297 Clay41 Grey 80x80 / 32"x32"




4100313 Clay41 Grey 8x40 / 3"x16"




4100293 Clay41 Grey 40x80 / 16"x32"



4100301 Navajo Grey 80x80 / 32"x32"



4100309
Mosaic
Bricky Grey
30x30 / 12"x12"



4100326
Mosaic Clay41 + Navajo
Grey
30x30 / 12"x12"



4100317
Plus Grey
19x19 / 7¹/₂" x 7¹/₂"



4100330
Esagona
Navajo Grey
22,5x19,5 / 9"x8"

WOOD41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH SPAZZOLATO OPACO RETTIFICATO - BRUSHED NATURAL RECTIFIED

THICKNESS 10 MM



4100305 Wood41 Grey 20x120 / 8"x48"

WIGWAG

TECHNOLOGY MONOPOROSA IN PASTA BIANCA - WHITE BODY SINGLE-FIRED WALL TILE

FINISH LUCIDO / GLOSSY - 8 PATTERNS RANDOMLY MIXED

THICKNESS 10 MM



* 4100322 WigWag Grey 7,5x15 / 3"x6"

* I SOGGETTI DECORATIVI NON SONO VENDUTI INDIVIDUALMENTE MA SOLO IN UN MIX CASUALE
PATTERNS NOT SOLD SEPARATELY BUT ONLY AS A RANDOM MIX

Products	pcs	m ²	kg/box	Box/pal	m ² /pal	kg/pal
80x80/32"x32"	2	1,28	28,50	40	51,20	1140,00
40x80/16"x32"	3	0,96	21,50	56	53,76	1204
8x40/3"x16"	32	1,024	22,40	48	49,152	1075,2
Plus	22	0,45	13,20	56	25,2	739,2
Mosaic C + N	10		22,70			
Wood41	5	1,20	26,50	42	50,40	1113,00
WigWag	36	0,405	6,20	144	58,32	892,80
Esagona	19	0,62	12,68	56	34,72	710,08
Bricky	6		12,30			
Batt. 7,5x80	7		10,03			
Batt. 7,5x120	6		10,80			

I TONI DEI DIVERSI ARTICOLI SONO SIMILI MA NON IDENTICI. DATI I DIFFERENTI MATERIALI, FINITURE E TIPOLOGIE PRODUTTIVE.
THE TONES OF THE DIFFERENT ITEMS ARE SIMILAR BUT NOT IDENTICAL. GIVEN BY THE DIFFERENT MATERIALS, FINISHES AND TYPES OF PRODUCTION.

CLAY41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED

THICKNESS 10 MM




4100298 Clay41 Mud 80x80 / 32"x32"




4100314 Clay41 Mud 8x40 / 3"x16"



4100294 Clay41 Mud 40x80 / 16"x32"




4100302 Navajo Mud 80x80 / 32"x32"



4100310
Mosaic
Bricky Mud
30x30 / 12"x12"



4100318
Plus Mud
19x19 / 7¹/₂" x 7¹/₂"



4100327
Mosaic Clay41 + Navajo
Mud
30x30 / 12"x12"



4100331
Esagona
Navajo Mud
22,5x19,5 / 9"x8"

WOOD41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH SPAZZOLATO OPACO RETTIFICATO - BRUSHED NATURAL RECTIFIED

THICKNESS 10 MM



4100306 Wood41 Mud 20x120 / 8"x48"

WIGWAG

TECHNOLOGY MONOPOROSA IN PASTA BIANCA - WHITE BODY SINGLE-FIRED WALL TILE

FINISH LUCIDO / GLOSSY - 8 PATTERNS RANDOMLY MIXED

THICKNESS 10 MM



* 4100323 WigWag Mud 7,5x15 / 3"x6"

* I SOGGETTI DECORATIVI NON SONO VENDUTI INDIVIDUALMENTE MA SOLO IN UN MIX CASUALE
PATTERNS NOT SOLD SEPARATELY BUT ONLY AS A RANDOM MIX

Products	pcs	m ²	kg/box	Box/pa1	m ² /pa1	kg/pa1
80x80/32"x32"	2	1,28	28,50	40	51,20	1140,00
40x80/16"x32"	3	0,96	21,50	56	53,76	1204
8x40/3"x16"	32	1,024	22,40	48	49,152	1075,2
Plus	22	0,45	13,20	56	25,2	739,2
Mosaic C + N	10		22,70			
Wood41	5	1,20	26,50	42	50,40	1113,00
WigWag	36	0,405	6,20	144	58,32	892,80
Esagona	19	0,62	12,68	56	34,72	710,08
Bricky	6		12,30			
Batt. 7,5x80	7		10,03			
Batt. 7,5x120	6		10,80			

I TONI DEI DIVERSI ARTICOLI SONO SIMILI MA NON IDENTICI. DATI I DIFFERENTI MATERIALI, FINITURE E TIPOLOGIE PRODUTTIVE.
THE TONES OF THE DIFFERENT ITEMS ARE SIMILAR BUT NOT IDENTICAL. GIVEN BY THE DIFFERENT MATERIALS, FINISHES AND TYPES OF PRODUCTION.

CLAY41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED


THICKNESS 10 MM




4100299 Clay41 Black 80x80 / 32"x32"



4100315 Clay41 Black 8x40 / 3"x16"




4100295 Clay41 Black 40x80 / 16"x32"



4100303 Navajo Black 80x80 / 32"x32"



4100311
Mosaic
Bricky Black
30x30 / 12"x12"



4100328
Mosaic Clay41 + Navajo
Black
30x30 / 12"x12"



4100319
Plus Black
19x19 / 7¹/₂" x 7¹/₂"




4100332
Esagona
Navajo Black
22,5x19,5 / 9"x8"

WOOD41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH SPAZZOLATO OPACO RETTIFICATO - BRUSHED NATURAL RECTIFIED

THICKNESS 10 MM




4100307 Wood41 Black 20x120 / 8"x48"

WIGWAG

TECHNOLOGY MONOPOROSA IN PASTA BIANCA - WHITE BODY SINGLE-FIRED WALL TILE

FINISH LUCIDO / GLOSSY - 8 PATTERNS RANDOMLY MIXED

THICKNESS 10 MM



* 4100324 WigWag Black 7,5x15 / 3"x6"

* I SOGGETTI DECORATIVI NON SONO VENDUTI INDIVIDUALMENTE MA SOLO IN UN MIX CASUALE
PATTERNS NOT SOLD SEPARATELY BUT ONLY AS A RANDOM MIX

Products	pcs	m ²	kg/box	Box/pal	m ² /pal	kg/pal
80x80/32"x32"	2	1,28	28,50	40	51,20	1140,00
40x80/16"x32"	3	0,96	21,50	56	53,76	1204
8x40/3"x16"	32	1,024	22,40	48	49,152	1075,2
Plus	22	0,45	13,20	56	25,2	739,2
Mosaic C + N	10		22,70			
Wood41	5	1,20	26,50	42	50,40	1113,00
WigWag	36	0,405	6,20	144	58,32	892,80
Esagona	19	0,62	12,68	56	34,72	710,08
Bricky	6		12,30			
Batt. 7,5x80	7		10,03			
Batt. 7,5x120	6		10,80			

I TONI DEI DIVERSI ARTICOLI SONO SIMILI MA NON IDENTICI. DATI I DIFFERENTI MATERIALI, FINITURE E TIPOLOGIE PRODUTTIVE.
THE TONES OF THE DIFFERENT ITEMS ARE SIMILAR BUT NOT IDENTICAL. GIVEN BY THE DIFFERENT MATERIALS, FINISHES AND TYPES OF PRODUCTION.

CLAY41



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	CLAY41 NAVAJO
ISO 10545/2	DIMENSIONI - SIZE		
	lunghezza e larghezza length and width	± 0,6 % / ± 2 mm	± 0,6 % / ± 2 mm
	spessore thickness	± 5 %	± 5 %
	rettilinearità degli spigoli straightness of edges	± 0,5 %	± 0,5 %
	ortogonalità wedging	± 0,6 %	± 0,6 %
	planarità flatness	± 0,5 %	± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	0,2%
ASTM C373	water absorption	<0,5 %	meets the standards
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C484	thermal shock	unaffected	unaffected
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C1026	frost/freeze resistance	unaffected	unaffected
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C650	chemical resistance		unaffected
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm2	50 N/ mm2
ISO 10545/7	resistenza all'abrasione visible abrasion resistance	White/Grey/Mud Black	PEI V PEI IV
ASTM C1027	visible abrasion resistance	White/Grey/Mud Black	CLASS V CLASS IV
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	5
ASTM C1378	stain resistance	≥ CLASSE 3	5
DIN 51130	scivolosità anti-slip		R10
DCOF	dynamic coefficient of friction	> 0,42	0,62 Clay41 0,78 Navajo
ANSI A137.1	aesthetic classes	V0-V4	V1

WOOD41



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	WOOD41
ISO 10545/2	DIMENSIONI - SIZE		
	lunghezza e larghezza length and width	± 0,6 % / ± 2 mm	± 0,6 % / ± 2 mm
	spessore thickness	± 5 %	± 5 %
	rettilinearità degli spigoli straightness of edges	± 0,5 %	± 0,5 %
	ortogonalità wedging	± 0,6 %	± 0,6 %
	planarità flatness	± 0,5 %	± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	0,2 %
ASTM C373	water absorption	<0,5 %	meets the standards
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C484	thermal shock	unaffected	unaffected
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C1026	frost/freeze resistance	unaffected	unaffected
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C650	chemical resistance		unaffected
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm2	44 N/ mm2
ISO 10545/7	resistenza all'abrasione visible abrasion resistance	White/Grey/Mud Black	PEI V PEI IV
ASTM C1027	visible abrasion resistance	White/Grey/Mud Black	CLASS V CLASS IV
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	5
ASTM C1378	stain resistance	≥ CLASSE 3	5
DIN 51130	scivolosità anti-slip		R9
DCOF	dynamic coefficient of friction	> 0,42	0,54
ANSI A137.1	aesthetic classes	V0-V4	V1