

Aspen

Porcelain tiles





ASPEN | ASPEN-ASH 19,5 * 121,5 natural_PURE WHITE 25 * 75_PURE BLACK 25*75



ASPEN | ASPEN SMOKE 19,5 * 121,5 antislip _ FROZEN WHITE 40 * 120 _ FROZEN PRISM 40 * 120

Aspen

Porcelain tiles



ASPEN Ash

ASPEN Sand

ASPEN Camel

ASPEN Smoke




45 patterns

19,5 * 121,5 * 1 cm | 7 11/16 * 47 13/16 * 3/8"

RECTIFIED	NATURAL PRICE CODE BN60	ANTISLIP PRICE CODE BN95
ASH	24958	-
SAND	24959	-
CAMEL	24957	24961
SMOKE	24960	24962

Una pieza, un escalón.
One piece, one step.

NUEVO FORMATO | NEW FORMAT
30 * 121,5 cm | 11 13/16 * 47 13/16"



PIEZA COMPLEMENTARIA COMPLEMENTARY PIECE			
Rodapie - Skirting R.	Peldaño técnico - Technical stair - thread P.	Peldaño romo - Rounded stair - thread R.P.	*S.K.I. *S.K.D. *Z.R.I. *Z.R.D.
8 * 60,7 cm 3 1/8 * 23 7/8" P34	30 * 121,5 cm 11 13/16 * 47 13/16" P75 A= 1 cm B= 3 cm A= 7/16" B= 1 3/16"	30 * 121,5 cm 11 13/16 * 47 13/16" P61	8 * 30 cm 3 1/8 * 11 13/16" P51

CARACTERÍSTICAS TÉCNICAS ANTIDESLIZAMIENTO ANTI-SLIP CHARACTERISTICS			
Ensayo Essay	Características Features	Resultado Result	
		NATURAL	ANTISLIP
DIN 51130	Ángulo crítico (Pies calzados) Critical angle (footwear)	R9	R11
BS-7976-2	Antideslizamiento (Test del péndulo) Slip resistance (Pendulum test)	-	A+B
BS-7976-2	Antideslizamiento (Test del péndulo) Slip resistance (Pendulum test)	-	+36 Wet
UNE-ENV-12633	Antideslizamiento (Test del péndulo) Slip resistance (Pendulum test)	Class 1	Class 3
ANSI A137.1	Coefficiente de Fricción Dinámico Dynamic Coefficient of Friction	> 0,42	>0,42
ISO 10545-7	Resistencia a la Abrasión Superficial/Resistance to Surface Abrasion	PEI 4	

CARACTERÍSTICAS TÉCNICAS TECHNICAL CHARACTERISTICS							
joint 	frost proof 	versatile 	mat 	diferent shades 	shade variation 	various graphics 	various moulds

EMBALAJE PACKING									
Formato Sizes	Cajas Boxes			Pallet				Cont./20'	Cont./20'
	Piezas	m ² /sq.m	kg	Cajas	m ² /sq.m	kg	Tamaño cm aprox.	m ² /sq.m	m ² /sq.m
19,5 * 121,5 * 1	4	0,95	23	40	38	845	120 * 95 * 75	864,55	965,08
7 11/16 * 47 13/16 * 3/8	4	10,22	50,70	40	409,02	1862,91	47 1/4 * 37 3/8 * 29 1/2	9305,93	10388,03

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción. Weights shown here may slightly vary depending on the production lot.)